


Accessories and Replacement Parts



AEROSPACE-AUTOMOTIVE




Normalair-Garrett Manufacturing Pty. Ltd.
P.O. Box 131, Niddrie, Victoria 3042
Telex: 31517





CARBURETTOR COLD AIR BOXES

05-1205 Weber DCOE — 168.98
05-1105 Dual S.U. — 134.19


Supplied complete with 4" I.D. flexible ducting and remote air cleaner. Recommended air delivery system for all installations.



THE DCOE MODEL WEBER
The most suitable carburettor for race turbocharged engines.



THE H.I.F. MODEL S.U.
The most suitable carburettor for street turbocharged engine.



ASSORTED HI-FLOW AIR CLEANER ASSEMBLIES

Recommended for all turbocharged engines where cold air boxes cannot be employed.

05-1005/1 1 3/4" S.U. — 25.90
05-1915 48 DCOE WEBER — 92.61
05-1715 40 DCOE WEBER — 92.61





71-16

05-1160 ELECTRIC FUEL PUMP KITS

Fuel supply capable of maintaining 500 B.H.P. continuous duty. Essential on any serious turbocharged engine.



WEBER CARBURETTOR MOUNTING ADAPTOR 05 T.B.A. 58DCO

Enables coupling of carburettor to turbocharger compressor inlet snout. Available in either hand offset.




51-28

05-1015 SINGLE 1 3/4" x 1/2" SU CARBURETTOR MOUNTING ADAPTOR

LARGE DIAMETER NEEDLE AND SEATS TO SUIT BOTH S.U. AND WEBER CARBURETTORS
 05-201306 3mm Weber 05-201314 3mm S.U.
 05-201307 4mm Weber 05-201310 2.5mm S.U.

Absolutely essential for turbocharged engine applications where one carburettor may be supplying fuel to a 500 B.H.P. engine.



05-1025 DUAL 1 3/4" x 1/2" S.U. CARBURETTOR MOUNTING ADAPTOR

Enables coupling of carburettors to turbocharger compressor inlet snout. Available in either hand offset.



05-1405 40 DCOE WEBER

CARBURETTOR MOUNTING ADAPTORS

05-1815 45 DCOE WEBER


05-1905 48 DCOE WEBER

Enables coupling of carburettor to turbocharger compressor inlet snout, available in either hand offset.




SILICON COMPRESSOR DISCHARGE HOSE C/W STAINLESS STEEL CLAMPS.
05-1440

Essential on all petrol, turbocharged engines.




SINGLE TURBOCHARGER MOUNTING ADAPTOR
05-2440 05-2540

Allows positioning of a single turbocharger in the valley of a V-8, with either quadrajet or holley mount pattern



05-3040 DUAL TURBOCHARGER MOUNTING ADAPTOR

Allows positioning of two turbo assy. in the valley of a V-8, with quadrajet mount pattern. Also available with holley pattern as 05-3540.



05-9600 MANIFOLD PRESSURE/VACUUM GAUGE KIT

Recommended for all installations. Allows monitoring of engine under all operating conditions.

25/1




147-00

05-9590 PYROMETER KIT

Exhaust temperature gauge recommended for all heavy duty applications. The most accurate and responsive indicator of engine operations.

MANIFOLD PRESSURE SENSING 12V SWITCHES
 05-200801 - 4 lb activation
 05-200803 - 8 lb activation
 05-200811 - 15 lb activation
 Ideal for activating water injection systems, hi pressure fuel pumps, etc.




05-1255 COMPETITION WATER INJECTION SYSTEM A precise, proportional delivery system, intended for all petrol burning competition turbocharged engines.

05-1155 STREET WATER INJECTION SYSTEM Simple, effective and intended to reduce the possibility of detonation in street engines.




05-1045 UNIVERSAL MOUNTING ACCELERATOR CABLE KIT



05-1025-1


\$72.07




05-1025-3

\$73.40


05-1025-2 \$73.40
TURBOCHARGER LUBRICATION KITS
 Suitable for all installations on engines with 1/8"-1/4" B.S.P. oil pressure sender port.
 05-1025-2 1/8" B.S.P. PORT



05-1635 3 1/2" dual 2"




05-1535 2 1/4" / 2"



05-1435 2" / 1 1/2"

EXHAUST OUTLET KITS With either system — restricted installations or wastegated versions — these kits simplify turbine outlet ducting.



ASSORTED FLANGES AND GASKETS TO ASSIST IN 'ONE-OFF' INSTALLATIONS



TWO EXCELLENT PUBLICATIONS COVERING THE SUBJECT OF TURBOCHARGING.

